



# Unique Bacterial Community of the Biofilm on Microplastics in Coastal Water

Jianhua Wang<sup>1</sup> · Jian Lu<sup>1,2</sup> · Yuxuan Zhang<sup>1,3</sup> · Jun Wu<sup>4</sup> · Yongming Luo<sup>1</sup>

Received: 10 January 2020 / Accepted: 6 May 2020  
© Springer Science+Business Media, LLC, part of Springer Nature 2020

## Abstract

Being immersed in seawater for a few days, microorganisms will adhere to the surface of different materials and form biofilms. After being immersed in seawater for 1 week, high-throughput sequencing method was used to analyze the bacterial community structure of the biofilms on the surface of microbeads with different materials including steel, SiO<sub>2</sub>, and polyvinyl chloride (PVC). Operational taxonomic unit clustering results showed that some differences existed in the bacterial communities attached to the surface of different microbeads. Each microbead made by different material had its unique bacterial community. The heatmap indicated that the dominant genera on the surface of different microbeads were different from each other. Quantitative analysis showed that the relative abundance of dominant genera were different among different types of microbeads. Beta diversity analysis and principal component analysis showed that difference in the bacterial community on surface of steel-bead and PVC-bead was the most significant.

**Keywords** Microplastic · Biofilm · High-throughput sequencing method · Bacterial community · Microbeads

The pollution of microplastics (< 5 mm) is ubiquitous and persistent in oceans, coastal areas, lakes, rivers and polar water (Lu et al. 2019, 2020; Lusher et al. 2015). The presence of microplastics in the aquatic environment poses a great threat to the entire ecosystem and has drawn considerable attention recently (Auta et al. 2017; Law and Thompson 2014). It has been reported that the microplastic abundances ranged from 8 to 9200 particles per m<sup>3</sup> in offshore pacific

waters (Auta et al. 2017), and reached up to 8654 items per m<sup>3</sup> at the sea surface (Hidalgo et al. 2012).

After immersed in water for quite a while, the microplastics will be colonized with microorganisms, and microbial biofilms will form on the surface (Harrison et al. 2014). The formation of biofilms on the surface of microplastics promotes the adsorption of harmful microorganisms and pollutants such as heavy metals, hazardous chemicals and persistent organic pollutants on their surface (Harrison et al. 2011; Mincer et al. 2016; Keswani et al. 2016; Rummel et al. 2017; Lu et al. 2019; Zhang et al., 2020). The biofilm formation and enrichment of harmful microorganisms on the microplastics accelerate the adverse ecological effects (Prokic et al. 2019; Zhang et al. 2020). It was found that microplastics might be the carriers of pathogens (Jiang et al. 2018; Oberbeckmann et al. 2015; Zettler et al. 2013; Zhang et al. 2020). To understand the microplastics pollution in the ecosystem clearly, it is very important to study the microbial community of biofilms on microplastic surface.

This study used high-throughput sequencing to investigate the bacterial community of the biofilms formed on the surface of different microbeads (polyvinyl chloride abbreviated as PVC, SiO<sub>2</sub> and steel). PVC is one kind of microplastics, steel represents artificial steel structure facilities, SiO<sub>2</sub> represents clay and sand suspend in the marine. The final

✉ Jian Lu  
jlu@yic.ac.cn

<sup>1</sup> CAS Key Laboratory of Coastal Environmental Processes and Ecological Remediation, Yantai Institute of Coastal Zone Research (YIC), Chinese Academy of Sciences (CAS), Shandong Key Laboratory of Coastal Environmental Processes, YICCAS, Yantai 264003, Shandong, People's Republic of China  
<sup>2</sup> Center for Ocean Mega-Science, Chinese Academy of Sciences, 7 Nanhai Road, Qingdao 266071, People's Republic of China  
<sup>3</sup> University of Chinese Academy of Sciences, Beijing 100049, People's Republic of China  
<sup>4</sup> School of Resources and Environmental Engineering, Ludong University, Yantai 264025, Shandong, People's Republic of China

aim of this study is to provide useful information on the bacterial community structure of the microplastics.

## Materials and Methods

Study area was located at a site (37° 27' 21.85" N, 121° 42' 5.99" E) of Yantai, Shandong Province. The low-carbon steel microbeads (Q235B,  $\Phi = 4$  mm), PVC microbeads ( $\Phi = 4$  mm), SiO<sub>2</sub> panels ( $\Phi = 4$  mm) were put into nylon bags and were immersed in seawater with the depth of 0–0.5 m in September 2017. Nine replicates were used for sampling. The microbeads were collected successively in 0–7 days. The microbeads were scraped by sterilizing stick and washed with sterile fresh seawater to collect the biofilms samples, and then followed by serial centrifugations to pellet for subsequent analysis.

The samples were transported on dry-ice to Majorbio (Shanghai, China) for DNA extraction and sequencing. The total genomic DNA was extracted by CTAB/SDS method. The DNA concentration was determined by NanoDrop 2000 UV–vis spectrophotometer (Thermo Scientific, USA), and DNA purity was checked by 1% agarose gels. The 16S rRNA genes of regions of V4–V5 were amplified using the universal primers 515F (5'-GTGCCAGCMGCCGCGG-3') and 907R (5'-CCGTCAATTCMTTTRAGTTT-3'). The PCR reaction system (20  $\mu$ l) contained 4  $\mu$ l of 5 $\times$  FastPfu Buffer, 2  $\mu$ l of 2.5 mM dNTPs, 0.8  $\mu$ l of each primer (5  $\mu$ M), 0.4  $\mu$ l of FastPfu Polymerase and 10 ng of template DNA. The PCR amplification was performed using the following procedure: 2 min at 95 °C, followed by 30 cycles (95 °C for 30 s, 55 °C for 30 s, and 72 °C for 30 s) and a final extension at 72 °C for 10 min, then held at 4 °C. The PCR products were checked on 2% agarose gel. The bright main strips between 400 and 450 bp were chosen for further extraction. The target PCR products were purified using the AxyPrep DNA Gel Extraction Kit (Axygen Biosciences, Union City, CA, USA), and quantified using QuantiFluor™-ST (Promega, USA) according to the manufacturer's protocol.

Purified amplicons were analyzed and sequenced on an Illumina HiSeq platform (Illumina, USA) according to the standard protocols by Majorbio Technology Co. Ltd. (Shanghai, China). The raw reads were deposited into the National Center for Biotechnology Information (NCBI) Sequence Read Archive database (Accession Number: SRP238994).

Raw reads were assigned, quality-filtered by Trimmomatic, and then merged by FLASH. The reads were truncated at any site receiving an average quality score < 20 over a 50 bp sliding window. Primers were exactly matched allowing 2 nucleotides mismatching, and reads containing ambiguous bases were removed. Sequences with overlap longer than 10 bp were merged according to their overlap sequence.

Sequences with similarity over 97% were assigned to the same operational taxonomic units (OTUs) using Uparse (version 7.1). Representative sequence for each OTU was screened using UCHIME for further annotation. The taxonomic information of gene sequence was analyzed by RDP Classifier (<http://rdp.cme.msu.edu/>) based on the Silva (SSU123) 16S rRNA database by threshold of 70%. The Shannon index and goods-coverage were calculated by the number of the OTUs and the total sequences detected. The beta diversity shown in the heatmap was calculated by Weighted Unifrac and Unweighted Unifrac values.

## Results and Discussions


A total of 205,737 reads with an average length of 372 bp were obtained from the samples. These sequences clustered into 1513 OTUs at a 97% similarity level. The Good's coverages of all the samples were greater than 0.99, suggesting that the sequencing depth of all samples were sufficient to represent bacterial community (Table 1). Shannon diversity estimators varied from 7.337 to 8.237 (Table 1). OTU number and Shannon estimator (Table 1) demonstrated that both parameters were higher in samples Steel\_7d and SiO<sub>2</sub>\_7d than in PVC\_7d, indicating that the bacterial community diversities on the surface of the microplastic were relatively less than other microbeads.

The sequences of the samples in this study were classified, and 1513 OTUs were identified in these samples. The Venn diagram (Fig. 1) was used to show the shared and specific OTUs in different types of microbeads. The clustering results showed that some differences existed in the bacterial communities attached to the surface of different microbeads. As shown in Fig. 1, approximately 1306, 1391 and 1496 OTUs were identified on the surface of PVC, SiO<sub>2</sub> and steel microbeads separately. It was indicated that the bacterial community composition on the surface of the steel microbeads are more abundant than those on PVC and SiO<sub>2</sub>. The structure of the adherent bacterial community on the surface varied in response to the physical properties of the substrate (Dang and Lovell 2000; Jones et al. 2007; Rosato et al. 2019; Zhang et al. 2019). The number of OTUs shared by PVC

**Table 1** Shannon index, coverage and OTUs number of the samples in this study

Sample	Shannon <sup>a</sup>	Coverage <sup>b</sup>	OTUs
PVC_7d	7.337	0.997	1423
SiO <sub>2</sub> _7d	7.646	0.993	1517
Steel_7d	8.237	0.994	1598


<sup>a</sup>The Shannon index is used to calculate the diversity of bacteria community. <sup>b</sup>The coverage is used to evaluate the depth of sequencing



**Fig. 1** The shared and specific operational taxonomic units (OTUs) on surface of steel, SiO<sub>2</sub> and polyvinyl chloride (PVC) microbeads by using Venn graph. The digitals in the overlapped parts show the OTUs number shared by different microbeads. The digitals in the unoverlapped parts show the specific OTUs number in different types of microbeads

and SiO<sub>2</sub> microbeads was 1078, the number of OTUs shared by PVC and steel microbeads was 1097, and the number of OTUs shared by SiO<sub>2</sub> and steel microbeads was 1177. The number of OTUs shared by PVC, SiO<sub>2</sub> and steel was 951, accounting for more than 60% of the total number of OTUs detected in these samples. It could be concluded that the bacterial community on the surface of different types of microbeads included many common genera.


The heatmap in Fig. 2 showed the dominant genera on genus level on the surface of different microbeads. The dominant genera on the surface of the steel microbeads were *Muricauda*, *Tenacibaculum*, *Winogradskyella*, *Reichenbachiella*, *Marixanthomonas*, *Mesoflavibacter*, *Pseudophawobacter*, *Lewinella*, unidentified\_Cyanobacteria, unidentified\_Chloroplast, *Candidatus\_Bacilloplasma* and *Crocinitomix*. The dominant genera on the surface of the SiO<sub>2</sub> microbeads were *Blastopirellula*, *Actibacter*, *Lutimonas*, *Eudoraea*, *Aquibacter*, *Haliaea*, *Halioglobus* and *Marinicella*. The dominant genera on the surface of the PVC microbeads were *Ruegeria*, *Roseovarius*, *Nautella*, *Marivita*, *Roseibacterium*, *Desulforhopalus*, *Pseudahrensia*, *Flexithrix*, *Sulfurovum*, *Psychroserpens* and *Synechococcus*. The heatmap in Fig. 2 indicated that the dominant genera on the surface of different microbeads were different from each other. *Haliaea*, *Halioglobus*, *Marinicella*, OM60. NOR5. clade and *Candidatus\_Thiobios* were the 5 genera with higher abundance detected on the surface of steel and SiO<sub>2</sub> microbeads. *Synechococcus*, *Sulfurovum*, *Psychroserpens*, *Crocinitomix*, *Croceitalea* and *Erythrobacter* were the



**Fig. 2** The heatmap of the relative abundances of the dominant genera on genus level on the surface of different microbeads, steel, SiO<sub>2</sub> and PVC microbeads

6 genera with higher abundance detected on the surface of steel and PVC microbeads. *Ruegeria*, *Roseovarius*, *Nautella*, *Marivita*, *Roseibacterium*, *Desulforhopalus*, *Pseudahrensia*, *Flexithrix*, *Blastopirellula*, *Actibacter*, *Lutimonas*, *Eudoraea* and *Aquibacter* were the 13 genera with higher abundance detected on the surface of SiO<sub>2</sub> and PVC microbeads. The dominant bacteria on the surface of SiO<sub>2</sub> and PVC microbeads showed higher similarity while lower similarity was found between SiO<sub>2</sub> and steel microbeads or PVC and steel microbeads. The bacterial community structure on the surface of steel microbeads was quite different from that of SiO<sub>2</sub> and PVC microbeads. It might be caused by that the surface of steel was prone to corrode after being immersed into water to subsequently affect the microbial community structure on the surface (Dang and Lovell 2015).

The bar chart in Fig. 3 showed the quantitative results of the relative abundance of 28 dominant genera (over than 0.5%) on surfaces of several types of microbeads. The total relative abundance of the 28 dominant genera was less than 50%, indicating that the bacterial community in these samples was relatively complex. As shown in Fig. 3, the dominant genera (with the relative abundance over than 2%) on the surfaces of steel microbeads were *Marivita*, unidentified\_Chloroplast, *Ruegeria*, *Marinicella*, *Actibacter*,





**Fig. 3** The bar chart of the relative abundance of 28 dominant bacteria (over than 0.5%) on surfaces of types of microbeads on genus level. The relative abundance is the percentage of the bacteria in the total bacterial detected

*Marixanthomonas*, *Erythrobacter*, *Halioglobus* and *Lewinella*. The dominant genera (with the relative abundance over than 2%) on the surfaces of SiO<sub>2</sub> microbeads were *Marivita*, *unidentified\_Chloroplast*, *Ruegeria*, *Marinicella*,

*Actibacter*, *Nautella* and *Halioglobus*. The dominant genera (with the relative abundance over than 2%) on the surfaces of PVC microbeads were *Marivita*, *Ruegeria*, *Actibacter*, *Nautella* and *Erythrobacter*, and the relative abundance of these genera was higher than steel and SiO<sub>2</sub> microbeads, indicating that these 5 genera were the characteristic attached bacteria of microplastic particles. It was previously found that the dominant bacteria on the surface of microplastics collected from the marine were *Muricauda*, *Ruegeria*, *Psychroserpens*, *Planctomyces*, *Roseovarius* and *Mycobacterium* (Lu et al. 2019). The genera *Ruegeria*, *Psychroserpens* and *Roseovarius* were found with higher abundance (more than 0.5%) on the surface of PVC microbeads in this study.

As shown in Fig. 3, the relative abundance of three genera including *unidentified\_Chloroplast*, *Marixanthomonas* and *Lewinella* on the surface of steel microbeads was higher than that of SiO<sub>2</sub> and PVC microbeads. The relative abundance of bacteria genera including *Marivita*, *Ruegeria*, *Actibacter*, *Nautella* and *Aquibacter* on the surfaces of SiO<sub>2</sub> and PVC microbeads was higher than that of steel microbeads. The relative abundance of *Marinicella* and *Halioglobus* on the surfaces of steel and SiO<sub>2</sub> microbeads was higher than that of PVC microbeads while the abundance of *Erythrobacter* on the surface of SiO<sub>2</sub> microbeads was far lower than that of steel and PVC microbeads. These results suggested that the relative abundance of dominant genera were different among different types of microbeads. The results were consistent with previous studies on the microbial communities of different substrates (Zhang et al. 2019; Rosato et al. 2019).

The beta diversity of the bacterial community on different types of microbeads was shown in Fig. 4a. The beta diversity index between samples was less than 0.3, indicating that there was no significant difference in the bacterial



**Fig. 4** Beta diversity analysis and principal component analysis of the bacterial community on different types of microbeads, steel, SiO<sub>2</sub> and PVC microbeads



communities among different microbeads. In addition, beta diversity analysis in Fig. 4a showed that the bacterial community difference between SiO<sub>2</sub> and PVC was the smallest, followed by the difference between steel and SiO<sub>2</sub>, and the bacterial community difference between steel and PVC was the greatest. The principal component analysis of the samples on OTU level showed that on the PC1 axis (79.34%), the difference between Steel and SiO<sub>2</sub>, PVC samples was larger than the difference between SiO<sub>2</sub> and PVC. The bacterial community on the surface of the steel microbeads was greatly different from that of the other two types of microbeads, which was consistent with that of heatmap analysis. The corrosion of steel might affect the bacterial community on surface of steel microbeads.

**Acknowledgements** This work was supported by National Natural Science Foundation of China (41671319, 41907152), Taishan Scholars Program of Shandong Province (No. tsqn201812116), One Hundred Talents Program of Chinese Academy of Sciences (Y629041021), Two-Hundred Talents Plan of Yantai (Y739011021), and Key Research Program of Frontier Sciences of CAS (QYZDJ-SSW-DQC015).

## Compliance with Ethical Standards

**Conflict of interest** All the authors declare that they do not have any conflicts of commercial or associative interest to this work.

## References

- Auta HS, Emenike CU, Fauziah SH (2017) Distribution and importance of microplastics in the marine environment: a review of the sources, fate, effects, and potential solutions. *Environ Int* 102:165–176
- Dang H, Lovell CR (2000) Bacterial primary colonization and early succession on surfaces in marine waters as determined by amplified rRNA gene restriction analysis and sequence analysis of 16S rRNA genes. *Appl Environ Microb* 66:467–475
- Dang H, Lovell CR (2015) Microbial surface colonization and biofilm development in marine environments. *Microbiol Mol Biol Rev* 80:91–138
- Harrison JP, Sapp M, Schratzberger M, Osborn AM (2011) Interactions between microorganisms and marine microplastics: a call for research. *Mar Technol Soc J* 45:12–20
- Harrison JP, Schratzberger M, Sapp M, Osborn AM (2014) Rapid bacterial colonization of low-density polyethylene microplastics in coastal sediment micocosms. *BMC Microbiol* 14:232
- Hidalgo RV, Gutow L, Thompson RC, Thiel M (2012) Microplastics in the marine environment: a review of the methods used for identification and quantification. *Environ Sci Technol* 46:3060–3075
- Jiang P, Zhao S, Zhu L, Li D (2018) Microplastic-associated bacterial assemblages in the intertidal zone of the Yangtze Estuary. *Sci Total Environ* 624:48–54
- Jones P, Cottrell M, Kirchman D, Dexter S (2007) Bacterial community structure of biofilms on artificial surfaces in an estuary. *Microb Ecol* 53:153–162
- Keswani A, Oliver DM, Gutierrez T, Quilliam RS (2016) Microbial hitchhikers on marine plastic debris: human exposure risks at bathing waters and beach environments. *Mar Environ Res* 118:10–19
- Law KL, Thompson RC (2014) Microplastics in the seas. *Science* 345:144–145
- Lu J, Zhang Y, Wu J, Luo Y (2019) Effects of microplastics on distribution of antibiotic resistance genes in recirculating aquaculture system. *Ecotox Environ Safe* 184:109631
- Lu J, Wu J, Zhang C, Wu J, Luo Y (2020) Adsorption and desorption of steroid hormones by microplastics in seawater. *Bull Environ Contam Toxicol*. <https://doi.org/10.1007/s00128-020-02784-2>
- Lusher AL, Tirelli V, O'Connor I, Officer R (2015) Microplastics in Arctic polar waters: the first reported values of particles in surface and sub-surface samples. *Sci Rep* 5:14947
- Mincer TJ, Zettler ER, Amaral-Zettler LA (2016) Biofilms on plastic debris and their influence on marine nutrient cycling, productivity, and hazardous chemical mobility. In: Takada H, Karapanagioti H (eds) *Hazardous chemicals associated with plastics in the marine environment: the handbook of environmental chemistry*, vol 78. Springer, Cham
- Oberbeckmann S, Löder MGJ, Labrenz M (2015) Marine microplastic-associated biofilms. *Environ Chem* 12:551–562
- Prokić MD, Radovanović TB, Gavrić JP, Faggio C (2019) Ecotoxicological effects of microplastics: examination of biomarkers, current state and future perspectives. *Trends Anal Chem* 111:37–46
- Rosato A, Barone M, Negroni A, Brigidi P, Fava F, Xu P, Candela M, Zanaroli G (2020) Microbial colonization of different microplastic types and biotransformation of sorbed PCBs by a marine anaerobic bacterial community. *Sci Total Environ* 705:135790
- Rummel CD, Jahnke A, Gorokhova E, Kuhnel D, Schmitt-Jansen M (2017) Impacts of biofilm formation on the fate and potential effects of microplastic in the aquatic environment. *Environ Sci Technol Lett* 4:258–267
- Zettler ER, Mincer TJ, Amaral-Zettler LA (2013) Life in the “plastisphere”: microbial communities on plastic marine debris. *Environ Sci Technol* 47:7137–7146
- Zhang W, Ding W, Li YX, Tam C, Bougouffa S, Wang R et al (2019) Marine biofilms constitute a bank of hidden microbial diversity and functional potential. *Nat Commun* 10:517
- Zhang Y, Lu J, Wu J, Wang J, Luo Y (2020) Potential risks of microplastics combined with superbugs: enrichment of antibiotic resistant bacteria on the surface of microplastics in mariculture system. *Ecotox Environ Safe* 187:109852

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.